



BIOTECH SUPPORT GROUP

1 DEER PARK DRIVE, SUITE M, MONMOUTH JCT, NJ 08852 • (P) 732-274-2866 • (F) 732-274-2899  
[www.biotechsupportgroup.com](http://www.biotechsupportgroup.com)

### Material Safety Data Sheet

*Material Safety Data Sheet  
May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.*

**U.S. Department of Labor**  
*Occupational Safety and Health  
Administration (Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072*

#### **IDENTITY** (As Used on Label and List)

ViraPrep™ Mammal 06CB1 Binding Buffer  
And ViraPrep™ Lambda HS1 Binding Buffer

#### **Section I**

<i>Manufacturer's Name</i>	<i>Emergency Telephone Number</i>
Biotech Support Group	(732) 274-2866
<i>Address (Number, Street, City, State, and Zip Code)</i>	<i>Telephone Number for Information</i>
1 Deer Park Drive, Suite P	(732) 274-2866
Monmouth Junction, NJ 08852	<i>Date Prepared</i>
	12/22/14

#### **Section II- Hazardous Ingredients/Identity Information**

There are no known hazardous components. The buffer consists of 0.06 M HEPES, 0.15M NaCl, pH 6.5

#### **Section III- Physical/Chemical Characteristics**

<i>Boiling Point</i> Approx. 212 F	<i>Specific Gravity (H<sub>2</sub>O = 1)</i> No available information
<i>Vapor Pressure (mm Hg.)</i> na	<i>Melting Point</i> na
<i>Vapor Density (Air = 1)</i> na	<i>Evaporation Rate</i> na
<i>Solubility in Water</i> Aqueous Buffer	
<i>Appearance and Odor</i> Clear Liquid	

#### **Section IV- Fire and Explosion Hazard Data**

<i>Flash Point (Method Used)</i> No available info.	<u><i>Flammable Limits</i></u> No available info.	<u><i>LEL</i></u>	<u><i>UEL</i></u>
<i>Extinguishing Media</i> Use media appropriate for surrounding conditions.			
<i>Special Fire Fighting Procedures</i> Use self-contained breathing apparatus if exposed to high levels of dust and smoke.			
<i>Unusual Fire and Explosion Hazards</i> None			

